



Basic Shell

Redirections



I/O Redirection on Linux Shell



Created by **Dan Nanni** at study-notes.org

Example	Description
<code>cmd < file</code>	Redirect standard input from file to cmd
<code>cmd > file</code>	Send standard output of cmd to file
<code>cmd >> file</code>	Append standard output of cmd to file
<code>cmd 2> file</code>	Send error output of cmd to file
<code>cmd 2>> file</code>	Append error output of cmd to file
<code>cmd 2>&1</code>	Send error output of cmd to its standard output
<code>cmd > file 2>&1</code>	Send both standard output and error output to file
<code>cmd &> file</code>	Send both standard output and error output to file
<code>cmd 2>&1 > file</code>	Send error output to terminal and standard output to file
<code>cmd >> file 2>&1</code>	Append both standard output and error output to file
<code>cmd &>> file</code>	Append both standard output and error output to file
<code>cmd <<< "string"</code>	Send a single string to cmd as its input
<code>cmd << EOF</code> input line 1 input line 2 EOF	Send multi-line input to cmd until a delimiter is reached
<code>cmd 3> file</code>	Send a custom file descriptor 3's output of cmd to file

From:
<https://wiki.fortier-family.com/> - Warnaud's Wiki

Permanent link:
<https://wiki.fortier-family.com/scripting/shell>

Last update: 2026/03/21 06:13



